

INVITATION TO BID

STATE OF ALABAMA

COUNTY OF BALDWIN

NOTICE IS HEREBY GIVEN that the County Commission of Baldwin County, Alabama, will receive bids in the Purchasing Office on December 7, 2015, at 10:30 A.M., for the Provision of Uniforms for the Baldwin County Sheriff's Office and Corrections Center. Bids will be opened December 7, 2015, at 11:00 A.M., in the Purchasing Conference Room located at 257 Hand Ave., Bay Minette, Alabama. Bids received after the December 7, 2015, at 10:30 A.M., deadline will not be considered. All times to be determined solely by the clock on the wall of Purchasing Conference Room. For all purposes and uses herein, a bid and all required paperwork is "received" at the time and date indicated on the Purchasing Office file stamp which shall be impressed on the face of all such documents when and as presented at the Purchasing Office.

PRE-BID CONFERENCE

All bidders **MUST ATTEND** the mandatory Pre-Bid Meeting. Pre-bid Conference will be held at the Baldwin County Purchasing Conference Room located in the Annex III Building at 257 Hand Avenue, Bay Minette, AL., on **December 3, 2015 at 10:00 A.M., Central Standard Time.**

SEE ATTACHED SPECIFICATIONS

This invitation package consists of **THIRTY-TWO (32)** pages. Bidders shall verify that have received all pages as indicated. If all pages have not been received, then it is the responsibility of the bidder to contact the Purchasing Officer, Wanda Gautney at (251) 580-2520 phone, (251) 580-2536 fax.

GENERAL BID INFORMATION

Bidders shall carefully read all parts of the invitation package with its accompanying schedules and attachments, if any. Bidders shall direct all requests for explanation or additional information concerning the meaning or interpretation of the conditions or attached specifications of this invitation to Wanda Gautney in writing or by e-mail (wgautney@baldwincountyal.gov) in sufficient time for a reply before submission date of bids. The Commission cannot, and does not, guarantee that such inquiries sent by mail or e-mail will be received timely or prior to the required submission date and time. It is the responsibility of the bidder to contact the Purchasing Manager, Wanda Gautney at (251) 580-2520 if a reply is not received.

The use of specific names and numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is solely for the purpose of indicating the type, size and quality of materials, product services, or equipment considered best suited for Baldwin County.

Contact initiated by a potential bidder with a county official will be only as specifically set out in this invitation. Any other contact with a county official initiated by a potential bidder or bidder regarding this bid, **between the date of this invitation to the date of bid award**, shall be deemed and treated as an attempt to unduly influence the bid award, and may be grounds for

rejection of the bid submitted by the bidder initiating such other contact, at the discretion of the Baldwin County Commission.

BIDDER QUALIFICATIONS

All Bidders, must be in, and remain, and by submitting a bid represent that they are and will remain, in compliance with all applicable Federal, Alabama State, County and municipal laws, regulations, resolutions and ordinances. In particular, and without limitation, all bidders must be and remain licensed and permitted in accordance with The Code of Alabama Title 10, concerning corporations doing business within Alabama, Title 34, dealing with licensing for businesses, and Title 40, concerning licenses and taxation, unless otherwise exempt. All bidders shall be prepared to timely submit to the County non confidential evidence or documentation's demonstrating that they are presently licensed and permitted under Alabama law. Such non confidential evidence or documentation may be submitted with the Bid Package.

The bidder expressly acknowledges, to and for the benefit of the Baldwin County Commission, that this Agreement may be funded with **federal grant monies** and, therefore, bidder expressly warrants and agrees that it shall at all times comply with all applicable federal, state, local and municipal laws and regulations. For more information about the Federal regulations visit the website <http://www.gpoaccess.gov/index.html> Code of Federal Regulations.

All bidders must provide proof of proper certification of authority, and any required registration, to transact business in this State, in order to perform work for the Baldwin County Commission. Bidder's Registration Number shall be provided on the Bid Response Form. The phone number for the Alabama Secretary of State is (334) 242-5324, Corporate Division.

All vendors, contractors and grantee are required to comply with the Alabama Immigration Law under Sections 31-13-9 (a) and (b) of the Code of Alabama. Forms and documents will be included with award documents. Information and forms can be found on the Baldwin County Commission's Purchasing website under E-Verify at www.baldwincountyal.gov

PREPARING THE BID

Bids must be typed or hand written in ink. A bid submitted in pencil is unacceptable. The Bid Guarantee and Bid Response Form must be the original paperwork; copies are not acceptable. All required paperwork must be received in the sealed Bid Package.

These specifications exhibit the general intent and purpose of Baldwin County regarding this bid; and they shall be so considered by the bidders. Accordingly, the bidder admits and agrees that said specifications are not complete in every detail. The bidder also agrees that the work and materials not indicated, or expressly mentioned in these specifications, but which are reasonably necessary for the full and faithful performance of the item(s) bid in accordance with the full and faithful intent, will be included in the bid and incorporated in the work the same as if fully and expressly indicated and specified.

The Bidders shall list on a separate sheet of paper any variations from, or exceptions to, the conditions and specifications of this bid. The exceptions shall be labeled “**EXCEPTION(S) TO BID CONDITIONS AND SPECIFICATIONS,**” and shall be attached to the front of the bid inside the Bid Package. Additional features and/or capabilities not included in the specifications may be included in the bid.

To facilitate the bid evaluation and tabulation, bids should be submitted with specifications identified in the order in which they appear in this document. If applicable, the bidder will provide cost in two (2) categories:

- (1) Cost using material as specified.
- (2) Cost using material as specified of at least 25% recycled material, if available.

It is the intent of the Commission to award bids which include recycled material when not prohibitive in cost and when in compliance with all other terms and conditions of the Alabama Competitive Bid Law.

A BID GUARANTEE OF \$500.00 MUST BE INCLUDED WITH YOUR BID. Such bid guarantee shall be in the form of a bid bond (individual or annual, provided, that bonding is available for such services, equipment or materials), postal money order, certified check, cashier’s check, or Letter of Credit. **No exceptions will be allowed.** In the event that a bidder is unable to, or does not, accept the bid award, the bid guarantee may be forfeited to the County at the County’s discretion.

SUBMITTING THE BID

In the event that a bidder is financing the product(s) through another agency other than itself, the financing agency must sign the Bid Response Form along with the bidder. A copy of the financing agreement and all conditions must be included with the Bid Response Form. The bidder and the Financing Agency will be held to the requirements stated in the Invitation to Bid. Any assignment of the financing agreement must be approved by the financing agency and the County Commission. Failure to disclose the financing information and all conditions will disqualify the Bidder at the County’s discretion.

Bidders that are returning a **NO BID** statement shall write on the outside of the Bid Package, the **Bid Number (i.e. WG16-05) with “NO BID”** written underneath. The Bid Package will not be opened in public, but it will be noted that the bidder did respond.

Bids may be hand delivered at any time prior to the bid opening date and time to the Baldwin County Purchasing Office, Annex III Building, 257 Hand Avenue, ATTN.: Wanda Gautney, (mailing) **312 Courthouse Square-Suite 15, Bay Minette, Alabama 36507**. The Commission cannot guarantee that bids sent by mail or courier will be received will be received on or before the bid opening day and time as required. Bids received after the deadline shall not be accepted and shall be returned.

All bids received must be in a sealed envelope plainly marked, **“WG16-05” “PROVISION OF UNIFORMS FOR THE SHERIFF’S OFFICE & CORRECTIONS CENTER.”** Bids submitted by “Express/Overnight” services must be in a separate inner envelope/package sealed and identified

as stated in the previous sentence. Bidders and any other interested individuals are invited to attend the bid opening.

BID AWARD

The Baldwin County Commission, at its discretion, may offer an extension of the Contract awarded to the successful bidder for an additional period not to exceed twelve (12) months or until such time that a new contract can be bid and awarded. Any extension will be at the same prices, terms and conditions. Any extension must have the written approval of both the County and Awarded Bidder within sixty (60) days prior to the expiration of the original contract.

All factors stated in this invitation package will be considered in determining the successful bidder, and any omission(s) of the stated requirements may be cause for rejection of the bid (s), all as determined solely by the Baldwin County Commission.

The County Commission reserves the right to study bids as to their correctness and may award the bid within a thirty (30) day period but the County Commission reserves the right to extend the bid award for an additional thirty (30) days until an award decision can be made.

The Baldwin County Commission reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part, such bid or bids, solely at its discretion.

TITLE 39/CODE OF AL COMPLIANCE

As a condition of any Bid Award and the respective contract(s) pursuant thereto, the County places full reliance upon the fact that it is the sole responsibility of any contractor, person or entity entering into such a contract with Baldwin County for the prosecution of any public works, to ensure that they and/or any of their respective agents comply with all applicable provisions of Title 39-1-1 et seq. Code of AL 1975.

More specifically, any contractor, person or entity entering into such a contract with Baldwin County for the prosecution of any public works shall be in compliance with, and have full knowledge of, the following provisions of Title 39:

“(f) The Contractor shall, immediately after the completion of the contract give notice of the completion by an advertisement in a newspaper of general circulation published within the city or county in which the work has been done, for a period of four successive weeks. A final settlement shall not be made upon the contract until the expiration of 30 days after the completion of the notice. Proof of publication of the notice shall be made by the contractor to the authority by whom the contract was made by affidavit of the publisher and a printed copy of the notice published . . .” §39-1-1(f) Code of AL 1975.

“(g) Subsection (f) shall not apply to contractors performing contracts of less than fifty thousand (\$50,000) in amount. In such cases, the governing body of the contracting agency, to expedite final payment, shall cause notice of final completion of the contract to be published one time in a newspaper of general circulation, published in the county of the contracting agency and shall post notice of final completion on the agency’s bulletin board for one week, and shall require the contractor to certify under oath that all bills have been paid in full. Final settlement with the contractor may be

made at any time after the notice has been posted for one entire week.” §39-1-1
(g) Code of AL 1975.

NOTE: Any failure to fully comply with this section or any applicable laws of the State of Alabama shall be deemed a material breach of the terms of both the Bid Award and the respective contracts resulting therefrom. Furthermore, Baldwin County takes no responsibility for resulting delayed payments, penalties, or damages as a result of any failure to strictly comply with Alabama Law.

Done this the 17th day of November, 2015.

Tucker Dorsey _____ s/s
TUCKER DORSEY, Chairman
Baldwin County Commission

BID #WG16-05 SPECIFICATIONS

Baldwin County desires bids for the provision of uniforms for the Sheriff's Office and Corrections Center. **This bid will be for uniforms and uniform accessories ordered during a one year period beginning the day of Bid Award.**

It is the intent of the Commission to award to the lowest bidder that meets the specifications for each item. The **Propper Ripstop Pants & Shirts** as well as **Armorskin Ripstop Pants & Shirts** will be awarded to **one bidder** (lowest responsible bid) in order for the garments to have matching dye lots.

No alteration cost should be included for garments. Alterations will be done by Baldwin County.

DELIVERY

Delivery shall be as soon as possible, but not more than thirty (30) business days after receipt of order. Orders will be delivered as specified on the Purchase Order. All items shall be bid as listed in specifications. No substitutes will be accepted. If an item is discontinued the successful bidder must notify the Purchasing Officer and submit a sample of the substituted item for evaluate before the substituted item will be allowed to replace the original bid item.

CONTRACT PERIOD

It is the intent of the Baldwin County Commission to award this contract for a twelve (12) calendar month period. However, the Baldwin County Commission may, at their option and in agreement with the Successful Bidder, renew the contract for up to two (2) additional years (2016 and 2017), in twelve (12) month increments. The Baldwin County Commission will, in writing, notify the Contractor thirty (30) days prior to expiration of the 2014 contract with its intent to extend the contract. The prices for 2015 shall also apply to the extension period(s).

PRICING

The price shall include all charges, including but not limited to delivery and destination charges. Any item being returned that was ordered but was shipped incorrectly by the supplier, return shipping charges will be prepaid by the supplier. If an item is returned that was received per the order, return shipping charges will be paid by Baldwin County.

CLOTHING SAMPLES

Samples may be requested in order to evaluate the lowest responsible bidder. Samples provided will be returned after the award. Samples will be shipped to Mrs. Wanda Gautney, 257 Hand Avenue, Bay Minette, AL 36507. Vendors must provide a Return Shipping Label for the return of their samples.

ACCESSORIES

The bidder will be allowed to bid additional items that are consider accessories that are not listed in the specifications.

BID RESPONSE FORM AND OTHER REQUIRED DOCUMENTATION

Supplier will use the Bid Response Form that has been included with this document for their bid. Attached to the Bid Response Form will be the marked brochures and detailed listing.

The bidder shall provide a listing of the items being bid. The listing shall consist of Product Number, Brand Name and Description, Unit Price. The bidder is allowed to offer additional items, that would be known as accessories or footwear that are not listed in the specifications.

Brochures will be provided that show garment and accessories style, including footwear. Each item will be identified with a garment number or style number clearly marked on the brochures. THIS MUST ACCOMPANY THE BID RESPONSE FORM. IF THIS IS NOT INCLUDED WITH THE RESPONSE FORM THEN THE BID WILL NOT BE ACCEPTED.

Supplier will make delivery of ordered items within 30 days of receipt of the Purchase Order.

UNIFORM SPECIFICATIONS

Item: 1. Convertible Jacket

Shell Fabric:

Brookwood Technique. 100% Tectel Nylon. 3-3.5oz. sq. yard. Poplin Weave. Everdry finish for storm proof protection.

Permanent Lining:

104 x 86 Thread count. 100% nylon Taffeta.

Zip Out Lining:

Face - 100% Nylon Taffeta

Batt - Quilted 200 gram body with 150 gram sleeves thinsulate by 3M

Back - 100% Nylon Taffeta

Design:

The jacket shall be a cull cut, waist length model with zip-in/zip-out liner, zipper front and shirred waistband. Coat construction shall be used throughout with body and sleeves being fully lined.

Design:

The jacket shall be a cull cut, waist length model with zip-in/zip-out liner, zipper front and shirred waistband. Coat construction shall be used throughout with body and sleeves being fully lined.

Body Detail:

The front shall be plain with patch pockets, flaps and badge tab. For shape retention, the front shall be interlined with heavy weight Pellon. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back. There is to be a separate 2 ½" waistband shirred with 2" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5 ½" on either side of the front opening. The shoulders shall have pads. A self goods reinforcement strip shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side. It shall also contain a tunnel for flexcuff.

Inside Detail:

On the left side of the coat, there shall be a gun pocket installed in the permanent lining of the coat to accept a small frame hand gun. The gun pocket shall have a minimum opening of 4 ½" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and a snap closing. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5 ½" wide and 6" deep.

Zip-Out Liner:

Shall be full body and sleeves with inside right pocket and shall be constructed to allow entry to gun pocket.

Sleeves:

The sleeves shall be coat style set in with a single needle machine. The bottom of the sleeve shall have a gusset opening and close with a storm cuff with Velcro closure for adjustable fit. The cuff shall be interlined with Pellon. There shall be an elastic sleeve loop for liner stability on the inside of the cuff.

Pockets:

There shall be two patch pockets with box pleats, finishing approximately 6 ¼" wide and 7 ½" deep. Flaps shall be scalloped and self lined. They shall close with snaps or Velcro on the points and with a centered buttonhole. The pockets shall be interlined with Poly/Cotton twill in such a way as to create hand-warmer pockets with an opening of approximately 5 ½" on the side. The left patch pocket is to have a pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked.

Collar:

The collar shall be made using self material. It shall be interlined with Pellon.

Epaulets:

The epaulets shall be made of self goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.

Badge Tab:

The badge tab shall be made of the outer fabric, 1" wide and 2 metal eyelet's spaced vertically apart. It shall be centered 2 ½" above the left pocket flap.

Zipper:

There shall be an YKK #5 molded nylon zipper.

Buttons and Snaps:

The pockets flaps and epaulet shall be secured with 24 ligne metal toggle buttons, flaps and epaulets shall close with 24 ligne metal buttons.

Thread:

All sewing is to be done with Polyester core thread or 100% Spun Polyester thread.

Size Tag and Care Instructions:

Each jacket shall have a sewn in label giving care instructions and shall be marked with lot number, size, fiber content and WPL number.

Finishing and Pressing:

All loose threads shall be removed. Each jacket shall be pressed and shaped properly.

Warranty:

One year against workmanship or fabric defects.

Color:

Brown

Item 2. Rain Coat - (samples for Rain Coat MUST be supplied with your Bid Response)

Material:

Style: 48125

100% Nylon Oxford reverses to HI-VIS

5.11 High Visibility Reversible Rain Coat, meets the requirements of ANSI/SEA 07-2010, Waterproof, adjustable, reversible. Pass-through pockets, Mic loops at the shoulders, integrated badge tab.

Item 3. Long Sleeve Flying Cross Shirt 100% Visa ® System 3 ¾ Polyester Command Mens

Fabric:

Flying Cross, Style FC-33W7800Z, 100% Polyester, Plain Weave. Weight 7-7 1/2 ounces per linear yard.

Creasing:

There shall be five stitched-in sharp military creases on all shirts. One crease on each front to be centered vertically. Front Creases shall not be through pockets and flaps. Spacing for three military creases across shirt back to be proportionate to the size of the shirt.

Front:

The left front shall have a top center placket 1-1/2" wide with two rows of stitches 7/8" apart. The shirt will have 7 buttons and buttonholes on the front; spacing between each will be 3-3/4". Top center placket to have woven interlining of 250 Dacron. Non-woven interlining unacceptable and shall be cause for rejection. The fronts shall be joined to the yoke so that both raw edges of the yoke are turned under, with the front sandwiched between, and then all three are stitched down with a 1/16" raised stitch. Safety stitch joining unacceptable. A 15" nylon zipper, to be set below the second button and buttonhole, shall accomplish front closure. The top, second and bottom buttons to be attached to the right front, the balance to be sewn over the buttonholes on the left front.

Collar:

Collar points to measure 3 1/8" long with ultrasonically fused-in Mylar stays, Collar to have woven interlining of #250 Dacron. Stays to be 3" long, 3/8" minimum width and to be fused to the underside of collar interlining Stays applied directly to collar material itself unacceptable. Collar height at rear 1-1/2". Collar topstitched 1/4" off the edge. Collar stand to measure 1-5/16" at rear and band to be interlined with "Crease-N-Tack." Collar material itself (top or underside) shall have no fusing to Mylar stays or collar interlining.

Shoulder Straps:

Shoulder Straps to be two-piece pointed, 1/4" topstitched and to be set on yoke with leading topstitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from collar set seam. Cross-stitched approximately 2" from sleeve seam. Shoulder strap to have functional buttonhole to attach to sewn button on shoulder of shirt. Edge stitched shoulder strap construction unacceptable.

Badge Reinforcement:

Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam and flap setting stitch. It shall have two (2) buttonhole eyelet's 1-1/4" from top of pockets flap spaced 1-1/4" apart and centered on sling.

Pockets:

Two breast patch pockets with mitered corners and 1-1/2" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have one (1), 1/2" pencil stitch. Each pocket to have hook Velcro 3/4" long by 1/2" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement.

Flaps:

Two piece deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirtfront approximately 3/8" above pocket. Left flap to have invisible pencil opening 1-1/2" to correspond precisely with pencil slot of pocket. (Stop & start stitching for pencil opening unacceptable and shall be cause for rejection.) Flaps to be 1/4" topstitched. Flaps to have woven interlining of #250 Dacron. Creased and edge stitched pocket flap to have looped Velcro 3/4" long by 1/2" wide stitched all sides, positioned on outer points of both pocket flaps to secure with corresponding Velcro strips on shirt pocket. Each flap shall have a button centered on uncut sewn buttonhole.

Sleeves:

Sleeve vent shall have round one piece elbow reinforcement and vent facing. Lower facing shall measure approximately 1/2" wide.

Cuffs:

Two piece 1/2-inch hemmed cuff with 1/4" topstitching. Cuffs to measure 3" in depth with rounded corners (barrel cuffs). Cuffs to have two buttons and corresponding buttonholes set vertically with one button and buttonhole in center of facing. Cuffs to have woven interlining of #250 Dacron.

Buttons:

First grade 20-ligne melamine.

Sewing:

Collar, shoulder straps, pocket flaps and cuffs to be topstitched 1/4" off the edge. Sleeve inserting and side close felling seams are to be safety stitched.

Thread:

All sewing threads to be color fast polyester wrap to match.

Interlinings:

Collar, cuffs, pocket flaps and top center to be interlined with #250 Dacron. Collar band interlining to be "Crease-N-Tack".

Construction:

Collars, flaps and cuffs are made with conventional construction. Top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched.

Stamping and Care Instructions:

Neck size and sleeve length to be stamped in collar band with style and cut number. A permanent size tab is to be sewn in with label to the inside yoke. Care instructions to be attached to the tail of the shirt.

Packing:

Shirts to be polybagged individually.

Warranty:

One year against workmanship or fabric defects.

Item 4. Men's Long Sleeve 5.11 Taclite PDU Police Shirt**Style #72365****5.11 Taclite PDU Shirt – A Class Long Sleeve****Fabric:**

Shirt is crafted from 4.4 oz. of Taclite ripstop fabric for maximum durability and lightweight breathability in hot or humid environments. A Teflon® treatment offers enhanced resistance against stains, moisture, and soil permanent creases ensure a crisp, professional appearance, and a bi-swing shoulder design provides full mobility. Additional features include underarm vents to keep you cool and dry, an integrated badge tab, a zippered front placket, and epaulette kit, and pass-through mic cord access to keep you connected. Triple needle stitching, Bartacking reinforcements at key stress points, melamine button won't melt burn or crack.

Color:

1. Solid Brown

Item 5. Men's Short Sleeve 5.11 Taclite PDU Police Shirt**Style #71168****5.11 Taclite PDU Shirt – B Class Short Sleeve****Fabric:**

Shirt is crafted from 4.4 oz. of Taclite ripstop fabric for maximum durability and lightweight breathability in hot or humid environments. A Teflon® treatment offers enhanced resistance against stains, moisture, and soil, patented 5.11 Hidden Document Pockets offer ample and covert storage, and a bi-swing shoulder design provides full mobility. Sewn in military creases, improved colorfastness, and enhanced fade resistance ensure a crisp, professional appearance. Additional features include underarm vents to keep you cool and dry, an integrated badge tab, a zippered front placket, and epaulette kit, and pass-through mic cord access to keep you connected. Triple needle stitching, Bartacking reinforcements at key stress points, melamine button won't melt burn or crack.

Color:

1. Solid Brown

Item 6. Women's Long Sleeve 5.11 Taclite PDU Shirt**Style: #62366****5.11 Taclite PDU Shirt – B Class Long Sleeve****Fabric:**

Shirt is crafted from 4.4 oz. of Taclite ripstop fabric for maximum durability and lightweight breathability in hot or humid environments. A Teflon® treatment for added durability. A B-swing back allows for maximum range of motion, and secure chest pockets and hidden utility pockets, additional features

included underarm vents and permanent creases for enhanced comfort and a long-lasting professional profile. Should have triple stitching, bartacking at major seams and stress points, pass through mic cord access, badge tab and epaulette kit, melamine buttons.

Color:

1. Solid Brown

Item 7. Women's Short Sleeve 5.11 Taclite PDU Shirt

Style: #61168

5.11 Taclite PDU Shirt – B Class Short Sleeve

Fabric:

Shirt is crafted from 4.4 oz. of Taclite ripstop fabric for maximum durability and lightweight breathability in hot or humid environments. A Teflon® treatment for added durability. A B-swing back allows for maximum range of motion, and secure chest pockets and hidden utility pockets, additional features included underarm vents and permanent creases for enhanced comfort and a long-lasting professional profile. Should have triple stitching, bartacking at major seams and stress points, pass through mic cord access, badge tab and epaulette kit, melamine buttons.

Color:

1. Solid Brown

Item 8. MEN'S TROUSERS

Fabric:

Style: Flying Cross/Fechheimer Item #42283: 75% Polyester/25% Wool. 11 ½ to 12 oz. Per linear yard. Serge. No more than 25% wool will be accepted in trousers.

Style:

Trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

Lining Material:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

Waistband:

The trouser will be made with the Freedom Fit waistband system, which is designed to provide the wearer with a more comfortable and better fitting trouser. The waistband shall be constructed using the "closed method" and shall measure a minimum of 1-7/8" wide when finished. The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for maximum wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser to be finished to allow for alterations (with ample basic trouser fabric and waistband curtain material to allow trouser size to be increased a least on size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength. The waistband curtain is composed of two elastic components, which give it two-zone comfort fit and breathability.

The top part of the waistband curtain is interlined with a 1-1/2" elastic band that has two functions. It stabilizes the waistband, preventing waistband rollover, and allows for a comfort stretch when the wearer bends or sits. This elastic is around the entire waistband and is constructed with and around the entire waistband and is constructed with an open weave to allow for breathability. The specifications for the upper elastic are as follows:

Width: 1 1/2"

Overall content: 38% Polyester, 45% Nylon, 17% Spandex
Stretch: 20%

The upper part or the waistband curtain interlining (elastic band) is to be lined the same color as the pocketing material and it shall be cut on a 45-degree bias to allow for maximum stretch. The waistband basic trouser fabric shall be cut across the cloth to allow for maximum stretch in synergy with the Freedom Fit Waistband. The lower part of the waistband shall also be the same color as the pocketing material and is designed to stretch over the hips for comfort and helps keep the trouser positioned properly on the waist. This elastic is also woven with an open weave for maximum breathability. The lower elastic portion of the band has an area of exposed Neoprene rubber, which acts as a shirt keeper. The specifications for the lower elastic are as follows:

Width: 1 3/4"

Overall Content: 13% Polyester, 49% Nylon, 16% Spandex, 22% Rubber

Stretch: 55%

The three (3) rubberized strands match the waistband curtain color and are designed to keep shirts tucked in for neat appearance (use of silicone strip or strips instead of rubberized strands shall be cause for rejection).

Belt Loops:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

Fly:

Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing materials or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.

Seat:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

Pockets:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bartacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing, and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the top to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the

tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening of 2-5/8" and a minimum depth of 2-7/8". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

Creases:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

Stripe:

Trousers shall have a 3/4" stripe of the 100% polyester material in brown (7451-7062) Milekin. Stripe is to be sewn from the bottom of the waistband to the bottom of the trouser leg and is to be sewn into the trouser side seam.

Labels:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

Origin:

Make in USA

Warranty:

One year against workmanship or fabric defects.

Color:

1. **Taupe with 3/4" brown stripe** sewn on seam from waistband to bottom. (Brown 3/4" Stripe to be sewn into seam of pants - not sewn on top of seam)
(A) Supervisors - 1/2" **gold** (not yellow) stripe sewn on top of the 3/4" brown.
Sample of stripes will be supplied with Bid Response.
2. **Brown**

Item 9. WOMEN'S TROUSERS

Fabric:

Style: Flying Cross/Fechheimer Item #47293: 75% Polyester/25% Wool. 11 1/2 to 12 oz. Per linear yard Serge.

Style:

Garment shall be manufactured from an up-to-date women's pattern for comfort and easier sizing. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

Lining Material:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

Waistband:

The trouser will be made with the Freedom Flex waistband system, which is designed to provide the wearer with a waist expansion of 1 1/2" to 3". The waistband shall measure a minimum of 1-7/8" wide when finished. The flexible expansion split portion of the waistband shall be to the front of the trouser side seam and there shall be a 1/4-inch wide side belt loop positioned to hide the expansion split of the waistband. The waistband curtain shall consist of two different styles for maximum waistband expansion to enhance wearer comfort, fit and appearance. The front of the trouser (to the expansion split) waistband

curtain style shall consist of a 2-inch wide elastic section that incorporates Tru-Grip, a ½ “ surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Use of a single silicone strip or strips instead of ½” wide rubberized surface area shall be cause for rejection.) The back half of the trouser waistband curtain shall finish a minimum 1-1/8: wide and is to be made of black pocketing material and shall be attached to the top of the rouser with a zigzag stitch. The waistband curtain must also contain Tru-Grip and will line up with the Tru-Grip on the front of the expansion split. (Substitution of a single silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½” rubberized surface area is positioned 1-1/4” up from the bottom of the curtain. The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8 inch
Warp & Filling: 300 Denier Texturized Polyester
Rubber: 55 Gauge
Count: 32-36 yarns per inch
Content 59% Polyester 41% Rubber

To complete the Freedom-Flex Waistband System, there shall be a 1-1/4” wide elastic component sewn into the back half of the waistband curtain to allow for the stretch and recover of the waistband to comfortably fit the wearer’s waist size. There shall be a bartack for strength and durability sewn at the stress point on the waistbands where it joins the front elasticized waistband curtain joining stitching (positioned, on the waistband above the front pocket.) The waistband closure shall be accomplished with one crush proof hook and eye centered on the waistband for the wearer comfort. The hook and eye shall be reinforced with a 7/8” non-woven tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection.) In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam of the trouser to be finished to allow for alterations (with ample fabric and curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be proportional to the waist outlet so the seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum stretch.

Belt Loops:

There shall be a minimum of seven belt loops 3/4” in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband (“dropped” belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

Fly:

Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing materials or a “grown on” French Fly will be cause for rejection). The right fly shall be lined with the same material and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the let fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic “J” stitch equipment eliminating puckering and providing a clean finish. There shall be firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of “J” stitch.

Seat:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

Pockets:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 4-1/2" measured from the bottom of the opening. Front pockets to have firm straight bartacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing, and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing and barrier to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the top to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

Creases:

The leg creases, front and back will have a silicone bead put in by using the Lintrak process.

Stitching, Pressing & Finishing:

Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.

Stripe:

Trousers shall have a 3/4" stripe of the 100% polyester material in brown (7451-7062) Milekin. Stripe is to be sewn from the bottom of the waistband to the bottom of the trouser leg and is to be sewn into the trouser side seam.

Labels:

Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

Origin:

Make in USA

Warranty:

One year against workmanship or fabric defects.

Color:

1. **Taupe with 3/4" brown stripe** sewn on seam from waistband to bottom. (Brown 3/4" Stripe to be sewn into seam of pants - not sewn on top of seam)

(A) Supervisors - 1/2" **gold** (not yellow) stripe sewn on top of the 3/4" brown.

Sample of stripes will be supplied with Bid Response.

2. **Brown**

Item 10. TIES

Material:

55% poly/45% wool

Color:

Taupe

Style:

Four in hand or clip on

Item 11. SERVING SINCE/NAMEPLATES

Blackinton #A2450, Hi-Glo, 2" x 3/8" Name Plate, Clutchback

Blackinton #A1694, Hi-Glo, 2" x 3/8" Serving Since, Clutchback

Item 12. EMBLEMS

Sheriff Office & Corrections

A. Type currently used by department (sample will be provided upon request)

Item 13. OUTER BASKET WEAVE GUN BELT

Safariland #94, High Gloss Finish in Black Buckleless Belt with Velcro fastening on inner sides, Outer Duty Belt

Item 14. INNER BASKET WEAVE GUN BELT

Safariland #99, High Gloss Finish in Black Buckleless Belt with Velcro fastening Inner Trouser Belt

Item 15. TROOPER HAT RAINCOVER

Premier -9000 Series

Item 16. RANK INSIGNIA

Blackinton A1975 Gold Collar Brass- Captain

Blackinton A1973 Gold Collar Brass- Lieutenant

Blackinton A8765A Gold Collar Brass-Corporal

Blackinton A8765 Gold Collar Brass -Sergeant

Blackinton A982-3 Gold Oak Leaf

Blackinton A2015 Gold Eagles

Blackinton A5697 Gold 3/4" Star

Blackinton A3941 Gold 5/16" CHIEF

Blackinton Style #15 Custom Insignia 3/8" Gold "BCSO"

Item 17. SHERIFF STRAW HAT

Stratton S-42 Sheriff Style Brown (no holes) or equal

Item 18. HAT STRAPS

Stratton ST-3P-BK , 3 piece hat straps for felt hat

Item 19. GOLD CORDS WITH ACORNS

Stratton CD-GD, Gold hat cords with acorns for felt hat

Item 20: BOOTS

Magnum Hitec Boots Style #5283

Item 21: SHOES

Style: G8732

Womens Oxford Work Shoes

Oxford soft-toe, easy care leather upper and a slip-resistant rubber lug outsole. Moisture-wicking nylon mesh lining with a removable EVA cushion insert and sponge rubber heel wedge.

Item 22: SHOES

Bates Lite Glossy Style #942

Item 23: BOOTS

Style: 12313

5.11 Evo 6" Waterproof Boot with Sidezip

Item 24: BOOTS

Rocky 5105 -107812 Women's 6" plain toe Chukka full grain leather.

Item 25: MEN'S PROPPER RIPSTOP BATTLE DRESS (BDU) TROUSER (NO SUBSTITUTES ALLOWED) Style: Proper F525250250 (samples MUST be supplied with your Bid Response)

Fabric:

Color fast and fade resistant. Durable blend of 65% polyester and 35% combed cotton **ripstop**. Permanent press, wrinkle-resistant and shrink resistant, breathable and quick drying, wind resistant, all climate. Colors; Khaki, Black, Dark Brown. **Knee and seat patch. Must be available in Women's sizes also.**

Pockets:

Total Eleven(11): Two (2) Internal Knee Pad Design, Wallet pocket in a pocket, Two (2) coin pockets, Reinforced front pocket openings, Cell phone pocket, Two (2) front slash pockets, two (2) large three (3) pleat partial bellows cargo pockets with drain holes and button down flaps. Handy d-ring for keys or tools. All pocket flaps contain fusible material.

Stitches:

All seams 10 to 12 SPI. Inseam and outseam two (2) needle felled construction.

Tabs:

Side adjustment tabs -two (2) tabs 100% cotton with black metal buckles. Side adjustment tabs must have two (2) bar tack stitches at each end.

Fly:

Zipper preferred

Leg Hem Drawstrings:

Two (2) nylon fused and knotted ends tacked in back to prevent pull through.

Belt Loops:

Double thickness butted on reverse side and blind stitched, minimum of 7/16" wide by 2" long.

Size Labels:

Located in the waistband near center back, sewn under the waistband.

Care Labels:

Located on the right rear pocket bag and includes all washing and drying instructions.

Item 26: MEN'S PROPPER RIPSTOP LIGHTWEIGHT LONG SLEEVE TACTICAL DRESS SHIRT UNIFORM (BDU) Style Proper: F531250250 (NO SUBSTITUTES ALLOWED) (samples MUST be supplied with your Bid Response)

Fabric:

Fabric:

Color fast and fade resistant. Durable blend of 65% polyester and 35% combed cotton **ripstop**. Permanent press, wrinkle-resistant and shrink resistant, breathable and quick drying, wind resistant, all climate. Hidden zipper (mock button up), Two (2) shoulder epaulets. Double reinforced elbows. All seams two (2) needle felled construction. No side adjustment tabs.

Pockets:

Two (2) Zipper Breast pockets bellows type with covered button flaps and drain holes.

Stitches:

All seams 10 to 12 SPI

Cuff:

Sleeve cuff is 2 ½ inches wide, three (3) button adjustable cuff/button to roll up sleeves

Shirt Closure:

Five (5) button placket front four (4) covered.

Size Label:

Located at the collar seam inside center back.

Item 27: PROPPER LEIGHTWEIGHT SHORT SLEEVE RIPSTOP TACTICAL DRESS SHIRT WITH CROSS TACKED SHOULDER EPAULETS F531150250 (NO SUBSTITUTES ALLOWED) (samples MUST be supplied with your Bid Response)

Fabric:

Colors: Khaki, Dark Brown, Black

Fabric:

Color fast and fade resistant. Durable blend of 65% polyester and 35% Cotton **ripstop**. Permanent press, wrinkle-resistant and shrink resistant, breathable and quick drying, wind resistant, all climate. Two (2) zippered chest pockets, Hidden button under collar for professional or casual look, Longer tail in back, Hidden zipper (mock button up), Cuff adjustments and tabs / buttons to roll up sleeves, Reinforced elbows.

Item 28: RIPSTOP BOONIE HAT

Propper Cotton Ripstop Boonie Hat #F550155001 – OD Green – 100% Cotton ripstop material, 2.5 inch brim, ¾ inch nylon webbing and Nylon adjustable chin cord. **Must Provide All Sizes and Sample in Bid Response Sheet**

Item 29: RIPSTOP BDU SHIRT

Tru-Spec Digital Woodland Camo #1941, 100% Cotton – Long Sleeve and Short Sleeve. **Must Provide All Sizes and Sample in Bid Response Sheet**

Item 30: RIPSTOP TDU SHIRT

5.11 Tactical Taclite TDU Shirt #72054 OD Green & Khaki – Long Sleeve and Short Sleeve with and without 5.11 Tactical Chroma Flex Template Badges #81030 – 5 Point Star in Gold. **Must Provide All Sizes and Sample in Bid Response Sheet**

Item 31: RIPSTOP BDU PANTS

Tru-Spec Digital Woodland Camo #1942, 100% Cotton - **Must Provide All Sizes and Sample in Bid Response Sheet**

Item 32: RIPSTOP TDU PANTS

5.11 Tactical Ripstop TDU Pants #74003 OD-Green & Khaki - Hidden zipper (mock button up) **Must Provide All Sizes and Sample in Bid Response Sheet** Must come in women's sizes also.

Item 33: BELT

Bianchi Accumold Outer Belt, Black, Model #7200

Item 34: BELT

Bianchi Model #7950 - AccuMold Elite Duty Nylon (2.25" width) Black

Item 35: BELT LINER

Bianchi Model #7205 Nylon Liner Belt Black

Item 36: GLOVES

Kevlar lined frisk gloves Style #RFK-300

Item 37: JACKET

Port Authority Competitor Jacket JP54; color is **black on black**, Teklon nylon shell: Fleece lining, elastic waistband, elastic cuffs with adjustable straps, nylon-lined sleeves, lower slash pockets with zip closures, Interior pocket with zip closure, Port Pocket ☒.

Item 38: FULL LENGTH BIB APRON

Item #12W059

Grainger Poly-Cotton Blend with Side Pocket, **no buckles**. Color: Navy

Item 39: COOK'S PANTS Men's PT60 - Women's PT61

Red Kap Cook's Pants, 65% polyester/35% cotton, side elastic waist slack style front pockets, two hip pockets, left with button closure, belt loops: Color: Khaki

Item 40: LAB COATS - LONG

Item#6TUDI

Fashion Seal Long Lab Coats: 65% polyester/35% combed cotton, pre-cur durable press, front closure with buttons with long sleeves. Sizes Small to 2XL Color: White.

Item 41: LAB COATS - LONG

Item: #6DTN3

Landau Long Lab Coat, 65% polyester/35% combed cotton, pre-cur durable press, front closure with buttons with long sleeves. Size 3XL Color: Navy

Item 42: MAGAZINE HOLDER

Safariland 77-83-4HS double-black basketweave, unlined, for 2 1/4" Belt loop.

Item 43: HANDCUFF HOLDER

Safariland #90-4HS, hinged cuff case, black, basketweave

Item 44: FLASHLIGHT HOLDER

Safariland 306, open top Stinger flashlight holder, black basketweave

Item 45: HOLSTER (Right Hand) – Glock .22

Safariland 6360 ALS Level III w/Hi-Ride UBL 6360-832-481 Glock 4.5" BBL: 17,22 w/ITI M3, TLR – 1, Surefire, X200, LAS-Tac 2 SSL-1 Belt Loop: 2.25" Black basketweave, lined right hand.

Item 46: HOLSTER (Left Hand) – Glock .22

Safariland 6360 ALS Level III w/Hi-Ride UBL 6360-832-482 Glock 4.5" BBL: 17,22 w/ITI M3, TLR – 1, Surefire, X200, LAS-Tac 2 SSL-1 Belt Loop: 2.25" Black basketweave, lined left hand.

Item 47: HOLSTER (Right Hand) – Glock .23

Safariland 6360 ALS Level III w/Ride UBL Holster – STX Basket Weave Right Hand 6360-2832-481, lined right hand, belt loop 2.25"

Item 48: HOLSTER (Left Hand) – Glock .23

Safariland 6360 ALS Level III w/Ride UBL Holster – STX Basket Weave Left Hand 6360-2832-482, lined left hand, belt loop 2.25"

Item 49: BELT KEEPERS

Bianchi 6406 for nylon belts

Item 50: BELT KEEPERS

Safariland 62-4HS for basketweave leather belt

Item 51: PEPPER SPRAY HOLDER

Safariland 38-4-4HS

Item 52: BATON

ASP 26", F26B

Item 53: Cap - Flexfil Mid-Profile Cap

Flexfit Mid-Profile Cap Z5001

Construction: 6 panel, mid-profile, fitted cap with buckram. Spandex sweat band retain to retain shape, 8 rows of stitching on Permacurv visor, silver under visor. Taped seams. To fitting a wide variety of head sizes.

Crown Height: 3 1/2" (From bottom of cap to top of cap)

Bill Length: 2 1/2" (from point bill attaches to cap to end)

Hat Band: 6 3/4" - 7 1/4", 7 1/8"-7 5/8" (circumference of hat opening)

Blend: 98% Cotton, 2% Spandex

Sizes: S/M, L/XL

Color: Black

Item 54: V-Neck Scrub Shirt

Non-Reversible Uni-Sex V-Neck Tunic Top 65% Polyester / 35% Cotton

Double needle felled seams

Color: Landau Blue

Size: XS - 5XL

Item 55: Draw String Waist Scrub Pants

Draw String Waist Scrub Pants with Side Pockets 65% Polyester / 35% Cotton

Double needle felled seams

Color: Landau Blue

Size: XS - 5XL

Item 56: 5.11 Tactical Polo Shirts – Style #71049 (samples for Polo Shirt MUST be supplied with your Bid Response)

Material:

5.11 Tactical Performance Polo Men's Shirt in Black, Hunter Green, Tan, Red, White

No Shrinking, wrinkling or fading

No Collar Curl

Shirt must come with and without 5.11 Tactical ChromaFlex Template Badge #81030 5 Point Star Gold

Item 57: 5.11 Tactical Polo Shirts – Style #61165 (samples for Polo Shirt MUST be supplied with your Bid Response)

Material:

5.11 Tactical Performance Polo Women's Shirt in Black, Hunter Green, Tan, Red, White

No Shrinking, wrinkling or fading

No Collar Curl

Shirt must come with and without 5.11 Tactical ChromaFlex Template Badge #81030 5 Point Star Gold

Item 58: 5.11 Tactical Utility Polo Short Sleeve Shirt – Style# 61165

Material:

5.11 Tactical Performance Utility Polo Men's Short Sleeve Shirt in Black, White, and Khaki

60/40 Cotton/Poly Blend

No Shrinking, wrinkling or fading

No Collar Curl

Shirt must come with and without 5.11 Tactical ChromaFlex Template Badge #81030 5 Point Star Gold

Item 59: 5.11 Tactical Utility Polo Women's Short Sleeve Shirt – Style# 61173

Material:

5.11 Tactical Performance Utility Polo Women's Short Sleeve Shirt in Black, White, and Khaki
60/40 Cotton/Poly Blend

No Shrinking, wrinkling or fading

No Collar Curl

Shirt must come with and without 5.11 Tactical ChromaFlex Template Badge #81030 5 Point Star Gold

Item 60: 5.11 Tactical Packable Police Jacket - (raid)

Mic loops, a vertical chest pocket and hand pockets. Made of durable nylon with YKK zippers and Prym Snaps.

Features: Wind resistant Hidden chest pocket Mic Loops Lightweight Packable.

Item 61: Women's Bates High Gloss DuraShocks Oxford Shoes

Item # 742 Bates High-Gloss DuraShocks Oxford High-Gloss

Color: High-Gloss Black

Breathable lining, cushioned removable insert, Bates DuraShocks absorbing comfort, Slip Resistant, Durable direct attach construction.

Item 62: Style 2748 Bates 8" Women's Side Zip Delta Boot

Style: 2748 Bates 8" Women's Side Zip Delta boot

Slip-Resistant

Rubber Outsole

Full-Grain Water-Resistant Leather

Lightweight 1000 Denier Nylon

Item 63: 5.11 Tactical Men's ATAC8" Zipper Boot

8" Zipper Boot

YKK side zipper with leather tab cover and interior gusset; easy on/off

Durable, supple leather upper with 1220 denier Cordura nylon side panels

Water-resistant

Antibacterial and moisture-wicking DriLex lining

Composite shank

Shock Mitigation System for extended comfort Injection molded phylon midsole

Insole has 4-layer compression/recovery system

Dual Density Polyurethane cushioning

Semi-rigid heel and toe reinforcement

Oil and slip-resistant outsole with sniper grip

Hidden storage pocket

Rope grip at arch

Smooth toe makes for a professional appearance

Item 64: Style JD4302 John Deere Steel Toe Wellington Work Boot

Style JD4302

Maple Waterproof Full Grain Leather

Superknit Nylon Moisture Wicking Lining with Highly Breathable Waterproof Membrane

11" Height

Removable Air Flow Comfort Orthotic Insert with Moisture Wicking Cover

Weather Resistant Storm Welt

Flexible Lightweight EVA Midsole

Tempered Steel Shank

Super Flexible High Abrasion Rubber Outsole
Oil, Slip, Heat and Mud Resistant Outsole
Goodyear Welt Construction
Steel Toe meets ASTM F2413-05 Standards
Electrical Hazard meets ASTM F2413-05 Standards

Item 65: John Deere Steel Toe Wellington Work Boot – Lace up

Style JD8193
Brown Walnut Waterproof Full Grain Leather
Padded Collar
Soft, High Abrasion, Moisture-Wicking Lining
Stainless Steel Washers
Foam Padded Insole
Tempered Steel Shank
Goodyear Welt Construction
Lightweight Polyurethane Outsole
8" Shaft

Item 66: 5.11 Tactical Leather Casual Belt

5.11 Leather Casual Belts are made for everyday-casual, plainclothes or undercover wear.
Full grain leather with Permastiff™ insert to support weapon
1-1/2" wide
Buckle features "I-Beam" construction for rugged durability
Black with nickel buckle or Brown with brass buckle
Hidden key keeper on inside of belt

Item 67: Rocky TMC Duty Shoes 5001

Aegis Microbe Shield Applied to ROCKY Airport Footbed
Full-Grain Water-Resistant Polishable Leather
Made in the USA
Non-Metallic Stabilizer
Slip and Oil Resistant TMC Direct Attach TPU/PU outsole for Stability and Flexibility

Item 68: Under Armour Tactical Stealth Beanie

100% acrylic in a classic cuffed style that is lined with Under Armour® moisture-wicking liner

Item 69: 5.11 TDU Long Sleeve Street Shirt

Colors: Sheriff Brown

Shell Fabric

10 oz. 80% polyester 20% rayon plain weave.
Machine washable and dry cleanable.

100% Polyester Waffle Knit

Trim

Lining: 100% Polyester Satin

Mesh Lining: 100% Polyester Mesh

Interlining: Small Parts: 100% Polyester, Front Placket: 50% Polyester 50% Cotton

Button: Melamine, 20 ligne, matching shell fabric

Crosswalk Reflective Trim: 1/2" wide

Design and Construction

Long Sleeve pullover shirt with woven fabric sleeves and woven/knit fabric body.

Set in shoulder design

3-button center front placket with banded collar

Yoke lined and breathable mesh fabric

2 button adjustable cuffs

On demand reflective crosswalk Scotchlite under back of collar and on underside of cuffs

Men's: S-M-L, (30-31), (32-33). (34-35), (36-37) Sleeve lengths

Women's: S-M-L, Short, Regular, Tall Lengths

Men's size Large, length 33, Neck 17.75, ½ Chest 23, Back Length 32.5, Sleeve Length (from CB neck 33.5.

Women's size Large, regular

Neck 16.25, ½ Chest 21.5, Back Length 28, Sleeve Length (from CB neck) 32.5.

List all sizes available.

Item 70: 5.11 TDU Short Sleeve Street Shirt

Colors: Sheriff Brown

Shell Fabric

10 oz. 80% polyester 20% rayon plain weave.

Machine washable and dry cleanable.

100% Polyester Waffle Knit

Trim

Lining: 100% Polyester Satin

Mesh Lining: 100% Polyester Mesh

Interlining: Small Parts: 100% Polyester, Front Placket: 50% Polyester 50% Cotton

Button: Melamine, 20 ligne, matching shell fabric

Crosswalk Reflective Trim: ½" wide

Design and Construction

Long Sleeve pullover shirt with woven fabric sleeves and woven/knit fabric body.

Set in shoulder design

3-button center front placket with banded collar

Yoke lined and breathable mesh fabric

2 button adjustable cuffs

On demand reflective crosswalk Scotchlite under back of collar and on underside of cuffs

Men's: S-M-L, (30-31), (32-33). (34-35), (36-37) Sleeve lengths

Women's: S-M-L, Short, Regular, Tall Lengths

Men's size Large, length 33, Neck 17.75, ½ Chest 23, Back Length 32.5, Sleeve Length (from CB neck 33.5.

Women's size Large, regular

Neck 16.25, ½ Chest 21.5, Back Length 28, Sleeve Length (from CB neck) 32.5.

List all sizes available.

Item 71: 5.11 TDU Pants Ripstop

Colors: Olive Green

Self-adjusting waist

Genuine YKK® zippers and Prym® snaps

Teflon® treated for stain, liquid and dirt resistance

65% polyester/35% cotton Ripstop

Short, medium and long lengths
Blousing straps
Large side outer pockets
Back-up Belt System™
Verify All Sizes that are available

Item 72: BDU Pocket Trouser

Color: Multi Cam
6.5 oz. 65% polyester / 35% cotton fiber blend rip-stop material. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.
Interlining: 100% polyester
BDU (swat) trouser
Tailored split-seam construction
Dress Uniform Style
Two front quarter pockets
Two pleated BDU style cargo side pockets
Two hip pickets with flaps
Snap front closure
Stretch waistband with side spot elastic
Belt loops inserted at the bottom of waistband and tacked to the top
Reinforced knees with inside patches of pocketing fabric
Knee patches shall accept optional removable knee pads
The patterning shall be loose fitting through the seat and thighs to allow unrestrained movement

Item 73: Short Sleeve Street Shirt – Must provide Sample with your Bid Response

Style #8972
Color: Brown
Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric: 10 oz. 80% polyester 20% rayon plain weave. Machine washable and dry cleanable, wool blend provides user comfort, uniform appearance, durability and easy care.
100% Polyester Waffle Knit and easy care wicking and antimicrobial finish

Trim: Mesh Lining: 100% Polyester mesh; Interlining: Small Parts-100% Polyester, Front Placket: 50% Polyester 50% Cotton; Buttons – Melamine, 20 ligne, matching shell fabric; Crosswalk Reflective Trim; ½” wide

Design and Construction: Short sleeve pullover shirt with woven fabric sleeves and woven/knit fabric body. Set in shoulder design, 3-button center front placket with convertible collar, Yoke lined with breathable mesh fabric, on demand reflective crosswalk Scotchlite under back of collar and on the inside underarm of sleeves at hem.

Item 74: Long Sleeve Street Shirt – Must provide Sample with your Bid Response

Style# 8971
Color: Brown
Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric: 10 oz. 80% polyester 20% rayon plain weave. Machine washable and dry cleanable, wool blend provides user comfort, uniform appearance, durability and easy care.

100% Polyester Waffle Knit and easy care wicking and antimicrobial finish

Trim: Mesh Lining: 100% Polyester mesh; Interlining: Small Parts-100% Polyester, Front Placket: 50% Polyester 50% Cotton; Buttons – Melamine, 20 ligne, matching shell fabric; Crosswalk Reflective Trim; ½” wide

Design and Construction: Long sleeve pullover shirt with woven fabric sleeves and woven/knit fabric body. Set in shoulder design, 3-button center front placket with convertible collar, Yoke lined with breathable mesh fabric, 2 button adjustable cuffs, on demand reflective crosswalk Scotchlite under back of collar and on the inside underarm of sleeves at hem.

Item 75: Armorskin Vest – Must provide samples with your Bid Response

Style #8970

Color: Sheriff Brown

Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric: 10 oz. 80% polyester 20% rayon plain weave. Machine washable and dry cleanable, uniform appearance, durability and easy care.

Breathable, 4 way stretch, 5.5 oz Nylon with Lycra mesh technical knit with high abrasion, pill resistance and anti-microbial finish.

Trim: Mesh Lining: 100% Polyester mesh; Interlining: Small Parts-100% Polyester, Front Placket: 50% Polyester 50% Cotton; Buttons – Melamine, 20 ligne, matching shell fabric; Body Binding- Self Fabric, Shoulder Binding – 100% Lycra, Hem Binding – 100% Nylon, Hem Facing – 100% Nylon Ripstop with honeycomb printed back, Grosgrain Ribbon – 1” wide.

Design and Construction: Armorskin vest with shaped stretch side panels, two-way zippered single welt side openings, 5 military style creases stitched on front and back, Mitered pleated pockets with scalloped flaps, pencil opening on left and right pocket flap, hook and loop closure, Two (2) Napoleon style pocket openings beneath the upper pleated pockets, Fully lined with breathable mesh fabric, Inside shoulder opening for attachment of carrier hook and look shoulder strap, Epaulets, On demand Scotchlite reflective on top edge of front pockets, Badge eyelets with internal support strap, Grosgrain ribbon loops sewn to inside for suspender application. Customization (Optional) Name Tab, Metal Buttons on fronts, epaulets, and pocket flaps and ArmorSkin suspenders.

Standard Size Range – Unisex: 2XS, XS,XS/S, S, S/M, M, M/L, L, L/XL, XL-6XL

Measurements: Size Large Regular:

½ Chest – 23.5; Back Length – 18.625; Front Length – 16.25

Item 76: Armorskin Suspension System

Style: #174

Color: Black

Balances weight of the duty belt between the shoulders and hips and allows for a looser duty belt fit.

Durable nylon webbing material with adjustable padding for shoulder comfort.

Quick release hardware to attach to current keepers to allow for easy removal of trousers and duty belt.

Item 77: Ripstop BDU Armor Skin™ Must provide samples with your Bid Response

Style: #8783

Color: Silver Tan

Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric:

65% Polyester 45% Cotton Ripstop. Machine washable and dry cleanable fabric provides user comfort, uniform appearance, durability, and easy care.

Breathable, 4 way stretch, 5.5 oz. Nylon with Lycra mesh technical knit with high abrasion, pill resistance and anti-microbial finish.

Trim:

Mesh Lining: 100% Polyester Mesh

Interlining: Body: 100% polyester, Front Placket: 50% polyester 50% Cotton.

Body Binding: Self Fabric

Should Binding: 100% Lycra

Hem Binding: 100% Nylon

Hem Facing: 100% Nylon Ripstop with honeycomb printed back

Grosgrain Ribbon: 1" wide

Design and Construction:

Armorskin vest with shaped stretch side panels

Two-way zippered single welt side openings

(2) Upper BDU style patch pockets with asymmetrical flaps

(2) Napoleon style pocket openings beneath the upper patch pockets

Fully lined with breathable mesh fabric

Inside shoulder openings for attachment of carrier hook and look shoulder strap

Mic tab on front placket, between first and second button

Epaulets

Badge eyelets with internal support strap

Grosgrain ribbon loops sewn to inside for suspender application

Measurements:

Unisex: Size Large, Regular

½ Chest: 23.5

Back Length 18.625

Front Length 16.875

Item 78: Long Sleeve Ripstop Armorskin™ Base Shirt Must provide samples with your Bid Response.

Style: 8781

Color: Silver Tan

Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric:

65% Polyester 45% Cotton Ripstop. Machine washable and dry cleanable fabric provides user comfort, uniform appearance, durability, and easy care wicking finish.

100% Polyester Waffle Knit. Machine washable and dry cleanable fabric provides user comfort, uniform appearance, durability, and easy care wicking and antimicrobial finish

Trim:

Lining: 100% Polyester Satin

Mesh Lining: 100% Polyester Mesh

Interlining; Small Parts: 100% Polyester, Front Placket: 50% Polyester 50% Cotton

Buttons: melamine, 20 ligne, matching shell fabric

Velcro: 1" black hook and loop

Design and Construction

Long sleeve pullover shirt with woven fabric sleeves and woven/knit fabric body

Set in shoulder design

3-button center front placket with convertible collar

Yoke lined with breathable mesh fabric

Sleeve cuffs with Velcro closure

Standard Size Range

Men's Sizes – S-M-L, (30-31), (32-33), (34-35), (36-37)

Measurements:

Men's: size Large, regular

Neck: 18.5

½ Chest: 23

Back Length: 32.5

Item 79: Long Sleeve Ripstop Armorskin™ Base Shirt Must provide samples with your Bid

Response.

Style: 8782

Color: Silver Tan

Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric:

65% Polyester 45% Cotton Ripstop. Machine washable and dry cleanable fabric provides user comfort, uniform appearance, easy care wicking finish.

100% Polyester Waffle Knit. Machine washable and dry cleanable fabric provides user comfort, uniform appearance, durability, and easy care wicking and antimicrobial finish

Trim:

Lining: 100% Polyester Satin

Mesh Lining: 100% Polyester Mesh

Interlining; Small Parts: 100% Polyester, Front Placket: 50% Polyester 50% Cotton

Buttons: melamine, 20 ligne, matching shell fabric

Velcro: 1" black hook and loop

Design and Construction

Long sleeve pullover shirt with woven fabric sleeves and woven/knit fabric body

Set in shoulder design

3-button center front placket with convertible collar

Yoke lined with breathable mesh fabric

Sleeve cuffs with Velcro closure

Standard Size Range

Men's Sizes – S-M-L, (30-31), (32-33), (34-35), (36-37)

Measurements:

Men's: size Large, regular

Neck: 18.5

½ Chest: 23

Back Length: 32.5

Item 80: Operational Trousers Must provide samples with your Bid Response.

Style: 8835

Color: Silver Tan

Garments must be manufactured to ISO 9001 quality assurance standard.

Shell Fabric

6.7 oz. 65% polyester / 35% cotton fiber blend rip-stop material. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, an easy care.

Trim:

Interlining: 100% polyester

Design and Construction:

Operational trousers

Loose fitting through seat and thighs to allow unrestrained movement

Closed-seam construction

Dress uniform style

Two (2) front "L" shaped quarter pockets

Two (2) cargo side pockets with center pleat and concealed zipper closure

Magazine pocket inside of left cargo pocket
Cell phone pocket inside of right cargo pocket
Two overlapping single welt hip pockets
Left exterior single welt phone pocket
Side spot elasticized waistband and snap front closure
Silicone shirt grip tape inside waistband
Waistband with belt loops inserted at the bottom and tacked to the top
Articulated knee design with darts and rear seam.
Hemmed

Standard Size Range:

Men's: Regular Length: even waist sizes 28-54; odd sizes 31-37

Women's Regular Length: even dress sizes 0-24

Measurements:

Regular Length Men's: Waist size 36:

½ Waist (relaxed): 18.5; ½ Waist (stretched) 19.5

Seat: 23.5

½ Knee: 11.125

½ Bottom Leg: 9

Inseam: 37

Out seam: 46.375

Front Rise: 9.375

Back Rise: 10.5

Women's: Regular Length: Dress Size 12

½ Waist – (relaxed): 17.25; ½ Waist - (stretched): 18.25

Seat: 22.5

½ Knee: 10.562

½ bottom leg: 9.125

Inseam: 35

Out seam: 44

Front Rise: 8.875

Back Rise: 9.75

BID RESPONSE FORM BID #WG16-05

Provision of Uniforms

Date: _____

Out Of State _____ or _____ If yes, _____
Yes No Registration Number

Company Name: _____

Address: _____

Company Rep _____

(Rep. Name Typed or Printed)

Position: _____

Phone: _____

Fax: _____

Financing through another agency beside yourself _____ or _____
Yes No

If yes, you must attach a copy of the financing agreement and all conditions to this response form:

Financing Agency Authorized Signature

A BID GUARANTEE OF \$500.00 MUST BE INCLUDED WITH YOUR BID.

**THIS PAGE MUST ACCOMPANY THE DETAILED ITEM LISTING,
ALONG WITH THE REQUIRED CATALOGS AND SAMPLES.**

Page 2 of Bid Response Form #WG16-05

Item #	Description	Style	Cost p/each
1	Convertible Jacket	Brookwood	
2	Raincoat Reversible Hi Visibility	5.11 Style 48125 Reversible	
3	Shirt, Men L/S	Flying Cross FC- 33W7800Z	
4	Shirt, Men's Police L/S 5.11 Taclite Deputy Brown	5.11 Style 72365	
5	Shirt, Men's Police S/S 5.11 Taclite Deputy Brown	5.11 Style 71168	
6	Shirt, Women's L/S 5.11 Taclite Deputy Brown	5.11 Style 62366	
7	Shirt, Woman S/S 5.11 Taclite Deputy Brown	5.11 Style 61168	
8	Trousers, Men	Fechheimer42283	
9	Trousers, Women	Flying Cross/ Fechheimer 47293	
10	Tie	55% Poly/45% Wool	
11	Serving Since N/Plate	BlackintonA2450	
	Serving Since N/Plate	Blackington B1694	
12	Emblems Sheriff Patch	samples provided	
	Small Sheriff Patch	samples provided	
	Deputy Patch	samples provided	
	Correction Patch	samples provided	
	Court Security Patch	samples provided	
13	Outer Weave Gun Belt #94	Safariland #94	
14	Inner Basket Weave Gun Belt #99	Safariland #99	
15	Trooper Hat Raincover	Premier - 9000 Series	
16	Rank Insignia Blackinton Capt.	Blackinton A1975	
	Blackinton Lieutenant	Blackinton A1973	
	Blackinton Corporal	Blackinton A8765A	
	Blackinton Sergeant	BlackintonA8765	
	Blackinton A982-3 Gold Oak Leaf	Blackinton A982-3	
	Blackinton A2015 Gold Eagles	Blackinton A2015	
	Blackinton A5697 Gold 3/4" Star	Blackinton A5697	
	Blackinton A3941 Gold 5/16" CHIEF	Blackinton A3941	
	Blackinton CB020 Custom Insignia 3/8" Gold "BCSO"	Blackinton #15	
17	Sheriff Straw Hat	Stratton S-42	
18	Hat Straps	Stratton ST-3P-BK	
19	Gold Cords w/Acorns	Stratton CD-GD	
20	Boots Magnum Hitec Boot Style	Hi Tec 5283	
21	Shoes Women's Oxfords	Style G8732	
22	Shoes Bates #942	Bates 942	
23	Boots Style 5.11 Evo 6" with Zipper	Style 12313	
24	Boots Style Rocky 5105 6" Women	Style 107812	

25	Men's Propper RIPSTOP Battle Dress (BDU) Trouser	Propper F525250250	
26	Men's Proper Ripstop Lightweight Long Sleeve Tactical Dress Shirt Uniform (BDU)	Proper F531250250	
27	Men's Propper Ripstop Lightweight Short Sleeve Tactical Dress Uniform (BDU)	Propper F531150250	
28	Ripstop Boonie Hat Proper	Propper# 550155001	
29	Ripstop BDU Shirt – Long Sleeve	Woodland Camo1941	
	Ripstop BDU Shirt – Short Sleeve	Woodland Camo 1941	
30	Ripstop TDU Shirt – Long Sleeve – OD Green & Khaki	5.11 Tactical #72054	
	Ripstop TDU Shirt – Long Sleeve – OD Green Khaki with 5.11 Tactical Chroma Flex Template Badges 5 Point Star	5.11 Tactical Chroma Flex #81030	
	Ripstop TDU Shirt – Short Sleeve – OD Green & Khaki	5.11 Tactical #81030	
	Ripstop TDU Shirt – Short Sleeve – OD Green & Khaki with 5.11 Tactical Chroma Flex Template Badges 5 Point Star	5.11 Tactical Chroma Flex #81030	
31	Ripstop BDU Pants	Woodland Camo 1942	
32	Ripstop TDU Pants – OD Green	5.11 Tactical 74003	
33	Belt	Bianchi 7200	
34	Belt Model #7950	Bianchi 7950	
35	Belt Liner Model #7205	Bianchi 7205	
36	Gloves	RFK-300	
37	Jacket w/fleece lining	Port Authority-JP54	
38	Full Length Bib Apron " Long" Color: Navy	Item 12W059	
39	Cook's Pants(Men's)	Red Kap PT60BN	
	Cook's Pants(Women's)	Red Kap PT61 BN	
40	Lab Coats (Long)w/Long Sleeve Fashion Seal White	Item 6TUD1	
41	Lab Coats (Long)w/Long Sleeve Sleeve	Landau Blue 6DTN3	
42	Magazine Holder	Safariland #77-83-4HS	
43	Handcuff Holder	Safariland #90-4HS	
44	Flashlight Holder	Safariland #306	
45	Holster (Right Hand) Glock .22	Safariland #6360-832-481 ALS Level III	
46	Holster (Left Hand) Glock .22	Safariland #6360-832-482 ALS Level III	
47	Holster (Right Hand) Glock .23	Safariland #6360-2832-481	
48	Holster (Left Hand) Glock .23	Safariland #6360-2832-482	
49	Belt Keepers #6406	Bianchi 6406	
50	Belt Keepers #62-4HS	Safariland 62-4HS	
51	Pepper Spray Holders	Safariland 38-4-4HS	
52	Baton (ASP)	ASP 26" F26B	
53	Cap - Flexfil Mid Profile Cap	Flexfit Mid-Profile Cap	

		Z5001	
54	V-Neck Tunic Top 65% Poly 35% Cotton	Landau Blue	
55	Draw String Waist Scrub Pants w/Side Pockets	Landau Blue	
56	5.11 Tactical Polo Shirts – Blk, Hun Grn, Tan, Red, Whi	5.11 Tactical Style #71049	
	5.11 Tactical ChromaFlex Template Badge	#81030	
57	5.11 Tactical Polo Shirts – Women’s Blk,Hun Grn, Tan, Red, White	5.11 Tactical Style#61165	
	5.11 Tactical ChromaFlex Template Badge	#81030	
58	5.11 Tactical Utility Polo Short Sleeve Shirt	Style#61165	
	5.11 Tactical ChromaFlex Template Badge	#81030	
59	5.11 Tactical Utility Polo Women’s Short Sleeve	Style#61173	
	5.11 Tactical ChromaFlex Template Badge	#81030	
60	5.11 Tactical Packable Police Jacket (raid)		
	5.11 Tactical ChromaFlex Template Badge	#81030	
61	Women’s Bates High Gloss Durashock oxford	Item#742	
62	Bates 8” Women’s Side Zip Delta Boot	Style# 2748	
63	5.11 Tactical Men’s ATAC 8” Zipper Boot		
64	John Deere Steel Toe Wellington Work Boot	Style #JD4302	
65	John Deere Steel Toe Wellington Work Boot – Lace up	Style #JD8193	
66	5.11 Tactical Leather Casual Belt	5.11 Leather Casual	
67	Rocky TMC Duty Shores 5001	Rocky 5001 TMC Duty	
68	Under Armour Tactical Stealth Beanie	Under Armour Beanie	
69	5.11 TDU Long Sleeve Shirt Ripstop- Long Sleeve	Sheriff Brown	
	5.11 Tactical ChromaFlex Template Badge	#81030	
70	5.11 TDU Short Sleeve Street Shirt	Sheriff Brown	
	5.11 Tactical ChromaFlex Template Badge	#81030	
71	5.11 TDU Pants Ripstop – Olive Green		
72	BDU Pocket Trouser – Multi Cam		
73	Short Sleeve Street Shirt - Brown	Style# 8972	
74	Long Sleeve Street Shirt – Brown	Style# 8971	
75	Armorskin Vest – Sheriff Brown	Style# 8970	
76	Armorskin Suspension System – Black	Style# 174	
77	Ripstop BDU Armorskin – Color: Silver Tan	Style# 8783	
78	Long Sleeve Ripstop Armorskin Base Shirt – Color: Silver Tan	Style# 8781	
79	Long Sleeve Ripstop Armorskin Base Shirt - Color: Silver Tan	Style# 8782	
80	Operational Trouser – Color:Silver Tan	Style# 8835	